UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|---------------|----------------------|-------------------------|------------------|
| 10/649,459 | 08/27/2003 | Terumasa Suyama | 2842.18US01 | 5781 |
| Douglas J. Christensen, Esq. Patterson, Thuente, Skaar & Christensen, P.A. 4800 IDS Center 80 South Eight Street | | | EXAMINER | |
| | | | RUTLAND WALLIS, MICHAEL | |
| | | | ART UNIT | PAPER NUMBER |
| | IN 55402-2100 | | 2836 | |
| | | | <u></u> | *** |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 09/14/2007 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | Application No. | Applicant(s) | | |
|---|---|---|---|--|--|
| Office Action Summary | | 10/649,459 | SUYAMA ET AL. | | |
| | | Examiner | Art Unit | | |
| | | Michael Rutland-Wallis | 2836 | | |
| | The MAILING DATE of this communication app | ears on the cover sheet with the c | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filled after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | |
| Status | | | | | |
| Responsive to communication(s) filed on 19 July 2007. This action is FINAL. 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Dispositi | Disposition of Claims | | | | |
| 5) □ 6) ☒ 7) □ 8) □ Applicati 9) □ 10) ☒ | Claim(s) 1-11 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-11 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or on Papers The specification is objected to by the Examinet The drawing(s) filed on 27 August 2003 is/are: Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath or declaration is objected to by the Examinet Control of the oath of the oa | vn from consideration. r election requirement. r. a)⊠ accepted or b)□ objected to the drawing(s) be held in abeyance. See ion is required if the drawing(s) is objected to the drawing(| e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d). | | |
| | | | | | |
| Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | |
| | | | | | |
| 2) Notic 3) Inform | e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa | te | | |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/19/2007 has been entered.

Response to Arguments

Applicant's arguments with respect to claim 1-11 have been considered but are moot in view of the new grounds of rejection.

Applicant specifically points out the claimed system (ending page 2 and page 3 arguments) provides a configuration which allows the vehicle owner to lend the electronic key configured with only a reduced number of available functions to an unregistered third person. In this case, it is not necessary for the vehicle owner to perform additional operations, such as a new user registration (as would be the case with the system of Gunsch) or a restriction mode selection in the vehicle (as would be the ease with the system of Losey et al.)

Art Unit: 2836

In response to Applicant's above description Gunsch teaches in paragraph 0075 in a temporary valet mode wherein the authentication steps are bypassed for a designation period of time while the transmitter is in the possession of a friend or valet. Gunsch again illustrates this teaching in paragraph 0016.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gunsch (U.S. Pub. No. 20030117261) in view of Losey (EP 1 101 670 A2) in further view of Walter (U.S. Pat. No. 6,275,141)

With respect to claims 1 Gunsch teaches an electronic key system (Fig 1) for use in a vehicle having an accessory (items 26 or 24), the electronic key system comprising: a electronic key (Fig. 1); an input device (items 26 or 32) arranged in the electronic key to input identification information (users fingerprint for example) to the electronic key; a first verification device arranged in the electronic key (item 33 and/or 49) connected to the input device to compare the input identification information with pre-registered identification information (stored in memory onboard microcontroller). Gunsch describes limiting or restricting control of the vehicle systems to children or valets (see paragraph

0014-0017), as a function of the electronic key system, therefore while not embodied in the drawings of Gunsch inherently Gunsch must include a restriction information generation device or component in order to affect provide various levels of authorization. Gunsch teaches the use of a transmitter item 45 to transmit specific codes (see paragraph 0065-0067) corresponding to the operation restriction information and the electronic key wirelessly outputs the code. Gunsch teaches in paragraph 0075 in a temporary valet mode wherein the authentication steps are bypassed for a designation period of time while the transmitter is in the possession of a friend or valet. Gunsch does not describe a control unit to perform wireless communication or the generation of restriction information for wireless transmission. Gunsch also lacks the teaching of a restriction control device with a second verification device arranged within the vehicle. Losey (EP 1 101 670 A2) teaches a similar system including a teaching of enabling restricted access to vehicle accessories by way of wireless communication when the certain signals or codes are transmitter to a restriction controller (item 22). Losey further teaches in column 3 lines 20-30 verifying authorization codes within the vehicle transmitted from the fob corresponding to different levels of security. Losey teaches controller operates in different modes based on codes exchanged between the controller and the fob (item 32). It would have been obvious to one of ordinary skill in the art at the time of the invention to include the use of a control unit and verification device to verify and restrict certain vehicle systems based on transmitted vehicle codes in the system of Gunsch as seen in the teachings of Losey in order to increase the security of the vehicle if in fact such control circuitry is not present in the system of

Gunsch. Neither Gunsch nor Losey teach generation of specific restriction information for wireless transmission. Walter teaches the an electronic key system similar to that seen in Gunsch and Losey wherein Walter teaches (col. 22 lines 35-40) the key may transmit signals when the system in placed in a restricted state. It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify Gunsch generate restriction information for wireless transmission in order to allow control and display the vehicle modes from the vehicle controller.

With respect to claims 2 and 3 Gunsch teaches the input device is an individual identification device for detecting a distinctive bodily feature (i.e. fingerprint data) of an individual, and the pre-registered identification information is an pre-registered distinctive bodily feature, and wherein the first verification device (items 33 and/or 49) that compares the distinctive bodily feature detected by the individual identification device with the pre-registered distinctive bodily feature to determines whether the detected distinctive bodily feature matches the pre-registered distinctive bodily feature.

With respect to claim 4 Gunsch teaches the electronic key system includes a master key (driver's fingerprint) and a sub-key (such as a password paragraph 0069), which is used in lieu of the master key.

With respect to claim 5 and 6 Gunsch teaches the restriction information generation device is located in the located in the electronic key fob unit, which contains the key and sub-key unit.

Application/Control Number: 10/649,459

Art Unit: 2836

With respect to claim 7 Gunsch as modified by Losey teaches the use of a controller located in the vehicle and a remote electronics key, which may be arranged in or out of the vehicle.

Claims 8-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gunsch (U.S. Pub. No. 20030117261) in view of Losey (EP 1 101 670 A2), in view of Murakami et al. (U.S. Pat. No. 6,281,599) and further in view of Walter (U.S. Pat. No. 6,275,141)

With respect to claim 8 Gunsch teaches an electronic key system (Fig 1) for use in a vehicle having an accessory (items 26 or 24), the electronic key system comprising; a electronic key (Fig. 1) to communicate with the vehicle to control the vehicle systems, an input device (items 26 or 32) arranged in the electronic key to input identification information (users fingerprint for example) to the electronic key; a first verification device arranged in the electronic key (item 33 and/or 49) connected to the input device to compare the input identification information with pre-registered identification information (stored in memory onboard microcontroller). Gunsch describes limiting or restricting control of the vehicle systems to children or valets (see paragraph 0014-0017), as a function of the electronic key system, therefore while not embodied in the drawings of Gunsch inherently Gunsch must include a restriction information generation device or component in order to affect provide various levels of authorization. Gunsch teaches the use of a transmitter item 45 to transmit specific codes (see paragraph 0065-0067) corresponding to the operation restriction information and the electronic key wirelessly outputs the code. Gunsch teaches in paragraph 0075 in a temporary valet mode

wherein the authentication steps are bypassed for a designation period of time while the transmitter is in the possession of a friend or valet. Gunsch does not describe a communication circuit to output a request signal via wireless communication. Gunsch also lacks the teaching of a restriction control device arranged within the vehicle. Murakami teaches the use of communication circuits and the transmitting of request signal in order to control access to vehicle functions. Losey teaches a similar system including a teaching of enabling restricted access to vehicle accessories by way of wireless communication when the certain signals or codes are transmitter to a restriction controller (item 22). Losey further teaches in column 3 lines 20-30 verifying authorization codes corresponding to different levels of security. Losey teaches controller operates in different modes based on codes exchanged between the controller and the fob (item 32). It would have been obvious to one of ordinary skill in the art at the time of the invention to include the use of a control unit in the system of Gunsch as seen in the teachings of Murakami in order to increase the security of the vehicle if in fact such control circuitry is not present in the system of Gunsch and to include a restriction control device as seen in Losey in order to control the different levels of security or authorization as seen in the teaching of Gunsch. Neither Gunsch nor Losey teach generation of specific restriction information for wireless transmission. Walter teaches the an electronic key system similar to that seen in Gunsch and Losey wherein Walter teaches (col. 22 lines 35-40) the key may transmit signals when the system in placed in a restricted state. It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify Gunsch generate restriction

information for wireless transmission in order to allow control and display the vehicle modes from the vehicle controller.

With respect to claim 9 Gunsch as modified above teaches the key has code which is output and outputs the ID code by means of wireless communication when receiving the request signal, and the restriction control device (shown in Murakami or Losey) unlocks a door of the vehicle when the door of the vehicle is locked and the received ID code is an authorized one.

With respect to claim 10 Gunsch teaches the input device is an individual identification device for detecting a distinctive bodily feature is a fingerprint (i.e. fingerprint data) of an individual.

With respect to claim 11 Gunsch teaches the electronic key system includes a master key (driver's fingerprint) and a sub-key (such as a password paragraph 0069), which is used in lieu of the master key.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Rutland-Wallis whose telephone number is 571-272-5921. The examiner can normally be reached on Monday-Thursday 7:30AM-6:00PM EST.

Application/Control Number: 10/649,459 Page 9

Art Unit: 2836

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry can be reached on 571-272-2084. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MRW

MICHAEL SHERRY
SUPERVISORY PATENT EXAMINER